



# QUEENSLAND HERBARIUM

## Flora of South-eastern Queensland Volume 1

### Changes to names or status of taxa

L.W. Jessup  
13 February 2003

Queensland Herbarium  
Environmental Protection Agency  
Brisbane Botanic Gardens Mt Coot-tha  
Mt Coot-tha Road  
TOOWONG QLD 4066

Telephone: (07) 3896 9326  
Facsimile: (07) 3896 9624  
email: [queensland.herbarium@epa.qld.gov.au](mailto:queensland.herbarium@epa.qld.gov.au)

In the following list the superseded plant names as they appear in the text are arranged by page number and the currently accepted name for each is provided. Multiple entries of the same name will indicate a modification of the taxonomy.

| Page | Name in text                        | Currently accepted name                                       | Notes  |
|------|-------------------------------------|---|--|
| 50   | Casuarina torulosa                  | Allocasuarina torulosa (Aiton) L.A.S.Johnson                  |  |
| 51   | Casuarina littoralis                | Allocasuarina littoralis (Salisb.) L.A.S.Johnson              |  |
| 51   | Casuarina rigida                    | Allocasuarina rigida subsp. exsul L.A.S.Johnson               |  |
| 51   | Casuarina rigida                    | Allocasuarina rigida (Miq.) L.A.S.Johnson subsp. rigida       |  |
| 51   | Casuarina luehmannii                | Allocasuarina luehmannii (R.T.Baker) L.A.S.Johnson            |  |
| 51   | Casuarina inophloia                 | Allocasuarina inophloia (F.Muell. & F.M.Bailey) L.A.S.Johnson |  |
| 51   | Casuarina equisetifolia var. incana | Casuarina equisetifolia subsp. incana (Benth.) L.A.S.Johnson  |  |
| 55   | Trema aspera                        | Trema tomentosa (Roxb.) Hara var. tomentosa                   | Two varieties now recognised under an earlier species name |
| 55   | Trema aspera                        | Trema tomentosa var. viridis (Planch.) Hewson                 | Two varieties now recognised under an earlier species name |
| 57   | Ficus racemosa                      | Ficus racemosa L. var. racemosa                               | This is the only variety in Qld                            |
| 58   | Ficus ptatypoda                     | Ficus rubiginosa Desf. ex Vent.                               | Text name misapplied in Qld                                |
| 58   | Ficus obliqua var. petiolaris       | Ficus rubiginosa Desf. ex Vent.                               | Text name misapplied in Qld                                |
| 58   | Ficus obliqua var. obliqua          | Ficus obliqua G.Forst.  | Varieties not now recognised                               |

|    |  |   |  |
|----|--|---|--|
| 59 | <i>Cudrania cochinchinensis</i>                              | <i>Maclura cochinchinensis</i> (Lour.) Corner                         |  |
| 59 | <i>Ficus macrophylla</i>                                     | <i>Ficus macrophylla</i> Desf. subsp. <i>macrophylla</i>              | This is the only subspecies in Qld           |
| 59 | <i>Malaisia scandens</i>                                     | <i>Trophis scandens</i> (Lour.) Hook. & Arn. subsp. <i>scandens</i>   | This is the only subspecies in Qld           |
| 61 | <i>Streblus pendulinus</i>                                   | <i>Streblus brunonianus</i> (Endl.) F.Muell.                          |  |
| 65 | <i>Australina muelleri</i>                                   | <i>Australina pusilla</i> (Poir.) Gaudich.                            |  |
| 66 | <i>Boehmeria platyphylla</i> var. <i>austroqueenslandica</i> | <i>Boehmeria macrophylla</i> Hornem.                                  |  |
| 75 | <i>Amyema linophyllum</i>                                    | <i>Amyema linophyllum</i> subsp. <i>orientale</i> Barlow              | This is the only subspecies in Qld           |
| 77 | <i>Amyema conspicuum</i>                                     | <i>Amyema conspicuum</i> (F.M.Bailey) Danser subsp. <i>conspicuum</i> | This is the only subspecies in Qld           |
| 77 | <i>Amyema pendulum</i> subsp. <i>pendulum</i>                | <i>Amyema pendulum</i> subsp. <i>longifolium</i> (Hook.) Barlow       | This is the only subspecies in Qld           |
| 79 | <i>Lysiana subfalcata</i> subsp. <i>subfalcata</i>           | <i>Lysiana subfalcata</i> (Hook.) Barlow                              |  |
| 79 | <i>Lysiana subfalcata</i> subsp. <i>maritima</i>             | <i>Lysiana maritima</i> (Barlow) Barlow                               |  |
| 80 | <i>Korthalsella breviarticulata</i>                          | <i>Korthalsella taenioides</i> forma <i>pendula</i> (Wawra) Molvray   |  |
| 81 | <i>Viscum whitei</i>   | <i>Viscum whitei</i> Blakely subsp. <i>whitei</i>                     | This is the only subspecies in Qld           |
| 85 | <i>Rumex dumosiformis</i>                                    | <i>Rumex dumosus</i> A.Cunn. ex Meisn.                                |  |
| 85 | <i>Acetosella angiocarpa</i>                                 | <i>Acetosella vulgaris</i> Fourr.                                     |  |
| 85 | <i>Rumex obtusifolius</i>                                    |   | no specimens have been collected in S.E. Qld |

|    |                         |   |  |
|----|-------------------------|---|--|
| 85 | Rumex acetosella        | Acetosella vulgaris Fourr.                            |  |
| 86 | Rumex sagittatus        | Acetosa sagittata (Thunb.) L.A.S.Johnson & B.G.Briggs |  |
| 86 | Rumex vesicarius        | Acetosa vesicaria (L.) A.Love                         |  |
| 89 | Polygonum convolvulus   | Fallopia convolvulus (L.) A.Love                      |  |
| 89 | Polygonum strigosum     | Persicaria strigosa (R.Br.) H.Gross                   |  |
| 89 | Polygonum patulum       | Polygonum bellardii All.                              |  |
| 89 | Polygonum praetermissum | Persicaria praetermissa (Hook.f.) H.Hara              |  |
| 89 | Polygonum prostratum    | Persicaria prostrata (R.Br.) Sojak                    |  |
| 89 | Polygonum barbatum      | Persicaria barbata (L.) H.Hara                        |  |
| 89 | Polygonum dichotomum    | Persicaria dichotoma (Blume) Masam.                   |  |
| 90 | Polygonum subsessile    | Persicaria subsessilis (R.Br.) K.L.Wilson             |  |
| 90 | Polygonum elatius       | Persicaria elatior (R.Br.) Sojak                      |  |
| 90 | Polygonum hydropiper    | Persicaria hydropiper (L.) Spach                      |  |
| 90 | Polygonum lapathifolium | Persicaria lapathifolia (L.) Gray                     |  |
| 90 | Polygonum orientale     | Persicaria orientalis (L.) Spach                      |  |
| 90 | Polygonum attenuatum    | Persicaria attenuata (R.Br.) Sojak                    |  |

|     |  |  |  |
|-----|--|--|--|
| 92  | <i>Polygonum minus</i> var. <i>deciens</i> | <i>Persicaria deciens</i> (R.Br.) K.L.Wilson                           |  |
| 92  | <i>Muehlenbeckia cunninghamii</i>          | <i>Muehlenbeckia florulenta</i> Meisn.                                 |  |
| 92  | <i>Polygonum salicifolium</i>              | <i>Persicaria deciens</i> (R.Br.) K.L.Wilson                           |  |
| 96  | <i>Boerhavia diffusa</i>                   | <i>Boerhavia dominii</i> Meikle & Hewson                               | For part of taxon as described in text           |
| 96  | <i>Boerhavia diffusa</i>                   | <i>Boerhavia pubescens</i> R.Br  | For part of taxon as described in text           |
| 96  | <i>Boerhavia diffusa</i>                   | <i>Boerhavia schomburgkiana</i> Oliv                                   | For part of taxon as described in text           |
| 96  | <i>Boerhavia diffusa</i>                   | <i>Boerhavia</i> sp. (Bargara L.Pedley 5382)                           | For part of taxon as described in text           |
| 96  | <i>Boerhavia diffusa</i>                   | <i>Boerhavia</i> sp. (St George A.Hill AQ399299)                       | For part of taxon as described in text           |
| 99  | <i>Disphyma clavellatum</i>                | <i>Disphyma crassifolium</i> subsp. <i>clavellatum</i> (Haw.) Chinnock |  |
| 101 | <i>Macarthuria</i>                         |  | now included in Molluginaceae                    |
| 102 | <i>Glinus</i>                              |  | now included in Molluginaceae                    |
| 102 | <i>Mollugo</i>                             |  | now included in Molluginaceae                    |
| 102 | Tetragoniaceae                             |  | now included in Aizoaceae                        |
| 110 | <i>Gypsophila australis</i>                | <i>Gypsophila tubulosa</i> (Jaub. & Spach) Boiss.                      |  |
| 110 | <i>Silene gallica</i>                      | <i>Silene gallica</i> L. var. <i>gallica</i>                           | This is the only variety naturalised in S.E. Qld |
| 110 | <i>Vaccaria pyramidata</i>                 | <i>Vaccaria hispanica</i> (Mill.) Rauschert                            |  |

|     |   |  |   |
|-----|---|--|---|
| 111 | <i>Cerastium fontanum</i> subsp. <i>triviale</i>      | <i>Cerastium vulgare</i> Hartm.  |   |
| 117 | <i>Atriplex lindleyi</i>                              | <i>Atriplex lindleyi</i> subsp. <i>conduplicata</i> (F.Muell.) Paul G.Wilson | This is the only subspecies in S.E. Qld |
| 118 | <i>Atriplex semibaccata</i> var. <i>appendiculata</i> | <i>Atriplex semibaccata</i> R.Br.  | Varieties not now recognised            |
| 118 | <i>Atriplex semibaccata</i> var. <i>biformis</i>      | <i>Atriplex semibaccata</i> R.Br.  | Varieties not now recognised            |
| 118 | <i>Atriplex semibaccata</i> var. <i>semibaccata</i>   | <i>Atriplex semibaccata</i> R.Br.  | Varieties not now recognised            |
| 118 | <i>Dysphania myriocephala</i>                         | <i>Dysphania glomulifera</i> (Nees) Paul G.Wilson subsp. <i>glomulifera</i>  |   |
| 119 | <i>Rhagodia nutans</i>                                | <i>Einadia nutans</i> (R.Br.) A.J.Scott subsp. <i>nutans</i>                 |   |
| 119 | <i>Rhagodia linifolia</i>                             | <i>Einadia nutans</i> subsp. <i>linifolia</i> (R.Br.) Paul G.Wilson          |   |
| 120 | <i>Rhagodia hastata</i>                               | <i>Einadia hastata</i> (R.Br.) A.J.Scott                                     |   |
| 121 | <i>Chenopodium pseudomicrophyllum</i>                 | <i>Chenopodium desertorum</i> subsp. <i>microphyllum</i> Paul G.Wilson       |   |
| 121 | <i>Chenopodium trigonon</i>                           | <i>Einadia trigonos</i> subsp. <i>stellulata</i> (Benth.) Paul G.Wilson      |   |
| 122 | <i>Chenopodium stellulatum</i>                        | <i>Einadia trigonos</i> subsp. <i>stellulata</i> (Benth.) Paul G.Wilson      |   |
| 122 | <i>Chenopodium polygonoides</i>                       | <i>Einadia polygonoides</i> (Murr) Paul G.Wilson                             |   |
| 126 | <i>Stelligera</i>                                     | <i>Sclerolaena</i> R.Br.   |   |
| 126 | <i>Stelligera endecaspinus</i>                        | <i>Sclerolaena stelligera</i> (F.Muell.) S.W.L.Jacobs                        |   |
| 130 | <i>Halosarcia indica</i>                              | <i>Halosarcia indica</i> subsp. <i>leiostachya</i> (Benth.) Paul G.Wilson    | This is the only subspecies in S.E. Qld |

|     |                                   |  |  |
|-----|-----------------------------------|--|--|
| 130 | <i>Sarcocornia quinqueflora</i>   | <i>Sarcocornia quinqueflora</i> (Bunge ex Ung.-Sternb.) A.J.Scott subsp. <i>quinqueflora</i> | This is the only subspecies in Qld   |
| 134 | <i>Amaranthus lividus</i>         | <i>Amaranthus blitum</i> L.  |  |
| 135 | <i>Amaranthus viridus</i>         | <i>Amaranthus viridis</i> L.   | Spelling correction of species name  |
| 137 | <i>Alternanthera bettzickiana</i> | <i>Alternanthera ficoidea</i> (L.) P.Beauv.  |  |
| 142 | <i>Opuntia inermis</i>            | <i>Opuntia stricta</i> (Haw.) Haw.   |  |
| 142 | <i>Opuntia vulgaris</i>           | <i>Opuntia monacantha</i> (Willd.) Haw.  |  |
| 143 | <i>Acanthocereus pentagonus</i>   | <i>Acanthocereus tetragonus</i> (L.) Hummelinck  |  |
| 143 | <i>Nyctocereus serpentinus</i>    | <i>Peniocereus serpentinus</i> (Lag. & Rodr.) N.P.Taylor                                     |  |
| 144 | <i>Eriocereus regelii</i>         | <i>Harrisia martini</i> (Labour.) Britton  | Redetermination applies to the record from Jandowie district referred to in text |
| 144 | <i>Eriocereus martinii</i>        | <i>Harrisia martini</i> (Labour.) Britton  |  |
| 145 | <i>Nopalea cochenillifera</i>     | <i>Opuntia cochenill</i>   |  |
| 145 | <i>Eriocereus tortuosus</i>       | <i>Harrisia tortuosa</i> (J.Forbes ex Otto & A.Dietr.) Britton & Rose                        |  |
| 145 | <i>Opuntia streptacantha</i>      | <i>Opuntia streptacantha</i> Lem. (check spelling with PIF)                                  |  |
| 145 | <i>Opuntia subulata</i>           | <i>Austrocylindropuntia subulata</i> (Muehlenpfordt) Backeberg                               |  |
| 145 | <i>Echinopsis multiplex</i>       | <i>Echinopsis oxygona</i> (Link) Zucc. ex Pfeiffer & Otto                                    |  |
| 145 | <i>Galbulimima belgraveana</i>    | <i>Galbulimima baccata</i> F.M.Bailey  | Text name misapplied in Qld  |

|     |   |  |  |
|-----|---|--|--|
| 146 | <i>Rauwenhoffia leichhardtii</i>                    | <i>Melodorum leichhardtii</i> (F.Muell.) Benth.                              |  |
| 147 | <i>Fissistigma stenopetala</i>                      | <i>Meiogyne stenopetala</i> (F.Muell.) Heusden<br>subsp. <i>stenopetala</i>  |  |
| 150 | <i>Piptocalyx moorei</i>                            | <i>Trimenia moorei</i> (Oliv.) Philipson                                     |  |
| 154 | <i>Daphnandra micrantha</i>                         | <i>Daphnandra</i> sp. (McPherson Range<br>W.D.Francis AQ217480)              |  |
| 158 | <i>Cryptocarya triplinervis</i>                     | <i>Cryptocarya triplinervis</i> R.Br. var. <i>triplinervis</i>               | For part of taxon as described in text |
| 158 | <i>Cryptocarya triplinervis</i>                     | <i>Cryptocarya triplinervis</i> var. <i>pubens</i> B.Hyland                  | For part of taxon as described in text |
| 159 | <i>Cryptocarya laevigata</i> var. <i>bowiei</i>     | <i>Cryptocarya laevigata</i> Blume   | Varieties not now recognised           |
| 160 | <i>Cryptocarya</i> sp.1                             | <i>Cryptocarya macdonaldii</i> B.Hyland                                      |  |
| 160 | <i>Cryptocarya meisnerana</i>                       | <i>Cryptocarya meisneriana</i> Frodin  | Spelling correction                    |
| 170 | <i>Clematis microphylla</i> var. <i>leptophylla</i> | <i>Clematis microphylla</i> DC. var. <i>microphylla</i>                      |  |
| 171 | <i>Ranunculus scleratus</i>                         | <i>Ranunculus sceleratus</i> L.  | Spelling correction                    |
| 171 | <i>Ranunculus undosus</i>                           | <i>Ranunculus meristus</i> B.G.Briggs & Makinson                             | Text name misapplied in Qld            |
| 175 | <i>Stephania aculeata</i>                           | <i>Echinostephia aculeata</i> (F.M.Bailey) Domin                             |  |
| 176 | <i>Fawcettia tinosporoides</i>                      | <i>Tinospora tinosporoides</i> (F.Muell.) Forman                             |  |
| 180 | <i>Nymphaea capensis</i>                            | <i>Nymphaea caerulea</i> subsp. <i>zanzibarensis</i><br>(Casp.) S.W.L.Jacobs | Text name misapplied in Australia      |
| 180 | <i>Nymphaea gigantea</i>                            | <i>Nymphaea gigantea</i> Hook. var. <i>gigantea</i>                          | For part of taxon as described in text |



|     |   |   |   |
|-----|---|---|---|
| 180 | <i>Nymphaea gigantea</i>                              | <i>Nymphaea gigantea</i> Hook. var. <i>gigantea</i> cv. Albert De Lestang | For part of taxon as described in text  |
| 180 | <i>Nymphaea gigantea</i>                              | <i>Nymphaea gigantea</i> var. <i>neurosea</i> K.C.Landon                  | For part of taxon as described in text  |
| 183 | <i>Peperomia leptostachya</i>                         | <i>Peperomia blanda</i> var. <i>floribunda</i> (Miq.) H.Huber             |   |
| 184 | <i>Aristolochia deltantha</i> var. <i>laheyana</i>    | <i>Pararistolochia laheyana</i> (F.M.Bailey) Michael J.Parsons            |   |
| 184 | <i>Aristolochia praevenosa</i>                        | <i>Pararistolochia praevenosa</i> (F.Muell.) Michael J.Parsons            |   |
| 187 | <i>Hibbertia obtusifolia</i>                          | <i>Hibbertia linearis</i> var. <i>obtusifolia</i> (DC.) A.Gray            |   |
| 191 | <i>Hypericum perforatum</i> var. <i>angustifolium</i> | <i>Hypericum perforatum</i> L.  | Varieties not now recognised            |
| 194 | <i>Eschscholtzia californica</i>                      | <i>Eschscholtzia californica</i> Cham.                                    | Spelling correction                     |
| 195 | <i>Argemone ochroleuca</i>                            | <i>Argemone ochroleuca</i> Sweet subsp. <i>ochroleuca</i>                 | This is the only subspecies in Qld      |
| 196 | <i>Papaver setigerum</i>                              | <i>Papaver somniferum</i> L.  |   |
| 197 | <i>Fumaria capreolata</i>                             | <i>Fumaria capreolata</i> L. subsp. <i>capreolata</i>                     | This is the only subspecies in Qld      |
| 198 | <i>Fumaria officinalis</i>                            | <i>Fumaria officinalis</i> L. subsp. <i>officinalis</i>                   | This is the only subspecies in Qld      |
| 204 | <i>Brassica oleracea</i>                              |   | no records of naturalisation in SE Qld  |
| 205 | <i>Brassica rapa</i>                                  | <i>Brassica rapa</i> subsp. <i>sylvestris</i> (L.) Janch.                 | This is the only subspecies in S.E. Qld |
| 209 | <i>Rorippa nasturtium-aquaticum</i>                   | <i>Rorippa nasturtiumaquaticum</i> (L.) Hayek                             | Spelling correction                     |
| 210 | <i>Cardamine</i> sp.1                                 | <i>Cardamine paucijuga</i> Turcz.   |   |

|     |  |  |  |
|-----|--|--|--|
| 210 | <i>Cardamine circaeoides</i>                           | <i>Rorippa dietrichiana</i> Hewson   |  |
| 210 | <i>Cardamine</i> sp.2                                  | <i>Rorippa laciniata</i> (F.Muell.) L.A.S.Johnson  |  |
| 213 | <i>Capsella bursa-pastoris</i>                         | <i>Capsella bursapastoris</i> (L.) Medik.  | Spelling correction                    |
| 213 | <i>Lepidium hyssopifolium</i>                          | <i>Lepidium africanum</i> (Burm.f.) DC.  |  |
| 217 | <i>Crassula sieberana</i>                              | <i>Crassula sieberiana</i> (Schult. & Schult.f.) Druce   | Spelling correction                    |
| 218 | <i>Bryophyllum tubiflorum</i>                          | <i>Bryophyllum delagoense</i> (Eckl. & J.Zeyh.) Schinz   |  |
| 219 | <i>Bryophyllum daigremontianum</i> X <i>tubiflorum</i> | <i>Bryophyllum daigremontianum</i> (Raym.-Hamet & H.Perrier) A.Berger x <i>B.delagoense</i> (Eckl. & J.Zeyh.) Schinz |  |
| 229 | <i>Pittosporum rhombifolium</i>                        | <i>Auranticarpa rhombifolia</i> (A.Cunn. ex Hook.) L.W.Cayzer, Crisp & I.Telford                                     |  |
| 229 | <i>Pittosporum phylliraeoides</i>                      | <i>Pittosporum angustifolium</i> Lodd.   | Text name misapplied in Qld            |
| 230 | <i>Billardiera procumbens</i>                          | <i>Rhytidosporum</i> sp. (Stanthorpe D.M.Gordon DMG595)  |  |
| 231 | <i>Citriobatus linearis</i>                            | <i>Pittosporum viscidum</i> L.W.Cayzer, Crisp & I.Telford  |  |
| 231 | <i>Citriobatus pauciflorus</i>                         | <i>Pittosporum multiflorum</i> (A.Cunn. ex Loudon) L.W.Cayzer, Crisp & I.Telford                                     |  |
| 231 | <i>Citriobatus spinescens</i>                          | <i>Pittosporum spinescens</i> (F.Muell.) L.W.Cayzer, Crisp & I.Telford   |  |
| 231 | <i>Citriobatus lancifolius</i>                         | <i>Pittosporum lancifolium</i> (F.M.Bailey) L.W.Cayzer, Crisp & I.Telford  |  |
| 232 | <i>Bursaria spinosa</i>                                | <i>Bursaria spinosa</i> Cav. subsp. <i>spinosa</i>   | This is the only subspecies in Qld     |
| 233 | <i>Rubus moluccanus</i>                                | <i>Rubus moluccanus</i> L. var. <i>moluccanus</i>  | For part of taxon as described in text |

|     |   |  |  |
|-----|---|--|--|
| 233 | <i>Rubus moluccanus</i>                       | <i>Rubus moluccanus</i> var. <i>trilobus</i> A.R.Bean            | For part of taxon as described in text |
| 233 | <i>Rubus fruticosus</i>                       | <i>Rubus anglocandicans</i> A.Newton                             |  |
| 233 | <i>Rubus moorei</i> forma <i>glabra</i>       | <i>Rubus nebulosus</i> A.R.Bean                                  |  |
| 234 | <i>Rubus rosifolius</i>                       | <i>Rubus rosifolius</i> Sm. var. <i>rosifolius</i>               | For part of taxon as described in text |
| 234 | <i>Rubus rosifolius</i>                       | <i>Rubus rosifolius</i> var. <i>commersonii</i> (Poir.) Tirveng. | For part of taxon as described in text |
| 234 | <i>Rubus fraxinifolius</i>                    | <i>Rubus probus</i> L.H.Bailey                                   |  |
| 235 | <i>Prunus persica</i>                         | <i>Prunus persica</i> (L.) Batsch var. <i>persica</i>            | This is the only variety in Qld        |
| 237 | <i>Acaena anserinifolia</i>                   | <i>Acaena novae-zelandiae</i> Kirk                               |  |
| 237 | <i>Acaena ovina</i> var. <i>ovina</i>         | <i>Acaena ovina</i> A.Cunn.                                      | Varieties not now recognised           |
| 237 | <i>Acaena ovina</i> var. <i>velutina</i>      | <i>Acaena ovina</i> A.Cunn.                                      | Varieties not now recognised           |
| 237 | <i>Acaena agnipila</i> var. <i>aequispina</i> | <i>Acaena agnipila</i> Gand.                                     | Varieties not now recognised           |
| 237 | <i>Acaena agnipila</i> var. <i>protenta</i>   | <i>Acaena agnipila</i> Gand.                                     | Varieties not now recognised           |
| 237 | <i>Acaena agnipila</i> var. <i>tenuispica</i> | <i>Acaena agnipila</i> Gand.                                     | Varieties not now recognised           |
| 239 | <i>Sanguisorba minor</i>                      | <i>Sanguisorba minor</i> subsp. <i>muricata</i> Briq.            | This is the only subspecies in Qld     |
| 245 | <i>Oxylobium aciculiferum</i>                 | <i>Podolobium aciculiferum</i> F.Muell.                          |  |
| 245 | <i>Oxylobium scandens</i>                     | <i>Podolobium scandens</i> (Sm.) DC.                             |  |

|     |   |   |   |
|-----|---|---|---|
| 245 | <i>Oxylobium ilicifolium</i>                    | <i>Podolobium ilicifolium</i> (Andrews) Crisp & P.H.Weston    |   |
| 251 | <i>Burtonia foliolosa</i>                       | <i>Gompholobium foliolosum</i> Benth.                         |   |
| 251 | <i>Jacksonia turnerana</i>                      | <i>Jacksonia rhadinoclona</i> F.Muell.                        |   |
| 253 | <i>Daviesia mimosoides</i>                      | <i>Daviesia mimosoides</i> R.Br. subsp. <i>mimosoides</i>     | This is the only subspecies in Qld      |
| 254 | <i>Daviesia squarrosa</i> var. <i>villifera</i> | <i>Daviesia squarrosa</i> Sm.                                 | Varieties not now recognised            |
| 259 | <i>Pultenaea cambagei</i>                       | <i>Almaleea cambagei</i> (Maiden & Betche) Crisp & P.H.Weston | This taxon has not been recorded in Qld |
| 264 | <i>Dillwynia juniperina</i>                     | <i>Dillwynia sieberi</i> Steud.                               |   |
| 266 | <i>Bossiaea neo-anglica</i>                     | <i>Bossiaea neoanglica</i> F.Muell.                           | Spelling correction                     |
| 271 | <i>Hovea</i> sp.1                               | <i>Hovea planifolia</i> (Domin) J.H.Ross                      |   |
| 272 | <i>Hovea longifolia</i>                         | <i>Hovea impressinerva</i> I.Thomps.                          | For part of taxon as described in text  |
| 272 | <i>Hovea longifolia</i>                         | <i>Hovea graniticola</i> I.Thomps                             | For part of taxon as described in text  |
| 272 | <i>Hovea longifolia</i>                         | <i>Hovea ramulosa</i> A.Cunn. ex Lindl                        | For part of taxon as described in text  |
| 272 | <i>Hovea longifolia</i>                         | <i>Hovea similis</i> I.Thomps.                                | For part of taxon as described in text  |
| 274 | <i>Crotalaria semperflorens</i>                 | <i>Crotalaria lunata</i> Bedd. ex Polhill                     |   |
| 274 | <i>Crotalaria lanata</i>                        | <i>Crotalaria lunata</i> Bedd. ex Polhill                     |   |
| 274 | <i>Crotalaria novae-hollandiae</i>              | <i>Crotalaria</i> sp.   | Text name misapplied in S.E. Qld        |

|     |   |  |   |
|-----|---|--|---|
| 274 | <i>Crotalaria acicularis</i>                      | <i>Crotalaria humifusa</i> Graham ex Benth.                            |   |
| 275 | <i>Crotalaria dissitiflora</i>                    | <i>Crotalaria dissitiflora</i> Benth. subsp. <i>dissitiflora</i>       | This is the only subspecies in S.E. Qld |
| 275 | <i>Crotalaria linifolia</i>                       | <i>Crotalaria montana</i> var. <i>angustifolia</i> (Gagnep.) Niyomdham | This is the only variety in S.E. Qld    |
| 276 | <i>Crotalaria trifoliastrum</i>                   | <i>Crotalaria medicaginea</i> Lam.                                     |   |
| 277 | <i>Crotalaria anagyroides</i>                     | <i>Crotalaria micans</i> Link  |   |
| 279 | <i>Chamaecytisus proliferus</i>                   | <i>Chamaecytisus palmensis</i> (H.Christ) Bisby & Nicholls             |   |
| 281 | <i>Medicago polymorpha</i> var. <i>vulgaris</i>   | <i>Medicago polymorpha</i> L.  | Varieties not now recognised            |
| 281 | <i>Medicago polymorpha</i> var. <i>brevispina</i> | <i>Medicago polymorpha</i> L.  | Varieties not now recognised            |
| 282 | <i>Medicago minima</i>                            | <i>Medicago minima</i> (L.) Bartal. var. <i>minima</i>                 | This is the only variety in Qld         |
| 282 | <i>Medicago laciniata</i>                         | <i>Medicago laciniata</i> (L.) Mill. var. <i>laciniata</i>             | This is the only variety in Qld         |
| 284 | <i>Trifolium resupinatum</i>                      | <i>Trifolium resupinatum</i> L. var. <i>resupinatum</i>                | This is the only variety in Qld         |
| 284 | <i>Trifolium tomentosum</i>                       | <i>Trifolium tomentosum</i> L. var. <i>tomentosum</i>                  | This is the only variety in Qld         |
| 284 | <i>Trifolium campestre</i>                        | <i>Trifolium campestre</i> Schreb. var. <i>campestre</i>               | This is the only variety in Qld         |
| 285 | <i>Trifolium angustifolium</i>                    | <i>Trifolium angustifolium</i> L. var. <i>angustifolium</i>            | This is the only variety in Qld         |
| 285 | <i>Trifolium alexandrinum</i>                     | <i>Trifolium alexandrinum</i> var. <i>serotinum</i> Zoh. & Lern.       | This is the only variety in Qld         |
| 285 | <i>Trifolium incarnatum</i>                       | <i>Trifolium incarnatum</i> L. var. <i>incarnatum</i>                  | This is the only variety in Qld         |

|     |  |   |   |
|-----|--|---|---|
| 285 | <i>Trifolium pratense</i>                          | <i>Trifolium pratense</i> var. <i>sativum</i> Schreb.                                 | This is the only variety in Qld         |
| 286 | <i>Trifolium arvense</i>                           | <i>Trifolium arvense</i> L. var. <i>arvense</i>                                       | This is the only variety in Qld         |
| 287 | <i>Lotus corniculatus</i>                          | <i>Lotus corniculatus</i> L. var. <i>corniculatus</i>                                 | This is the only variety in Qld         |
| 288 | <i>Psoralea patens</i>                             | <i>Cullen patens</i> (Lindl.) J.W.Grimes  |   |
| 288 | <i>Psoralea tenax</i>                              | <i>Cullen tenax</i> (Lindl.) J.W.Grimes   |   |
| 290 | <i>Indigofera parviflora</i>                       | <i>Indigastrum parviflorum</i> (B.Heyne ex Wight & Arn.) Schrire                      |   |
| 291 | <i>Indigofera pratensis</i>                        | <i>Indigofera pratensis</i> F.Muell. var. <i>pratensis</i>                            |   |
| 292 | <i>Indigofera australis</i> var. <i>signata</i>    | <i>Indigofera australis</i> Willd.  | Varieties not now recognised            |
| 292 | <i>Indigofera australis</i> var. <i>australis</i>  | <i>Indigofera australis</i> Willd.  | Varieties not now recognised            |
| 293 | <i>Tephrosia glomulifera</i>                       | <i>Tephrosia glomeruliflora</i> Meisn.  |   |
| 296 | <i>Millettia megasperma</i>                        | <i>Callerya megasperma</i> (F.Muell.) Schot   |   |
| 296 | <i>Millettia australis</i>                         | <i>Callerya australis</i> (Endl.) Schot   |   |
| 299 | <i>Swainsona microphylla</i> subsp. <i>affinis</i> | <i>Swainsona microphylla</i> A.Gray   | Subspecies not now recognised           |
| 306 | <i>Zornia muriculata</i>                           | <i>Zornia muriculata</i> Mohlenbr. subsp. <i>muriculata</i>                           | This is the only subspecies in S.E. Qld |
| 306 | <i>Zornia dyctiocarpa</i>                          | <i>Zornia dyctiocarpa</i> DC. var. <i>dyctiocarpa</i>                                 | For part of taxon as described in text  |
| 306 | <i>Zornia dyctiocarpa</i>                          | <i>Zornia dyctiocarpa</i> var. <i>filifolia</i> (Domin)<br>S.T.Reynolds & A.E.Holland | For part of taxon as described in text  |

|     |  |   |  |
|-----|--|---|--|
| 309 | <i>Desmodium heterocarpon</i>                | <i>Desmodium heterocarpon</i> (L.) DC. var. <i>heterocarpon</i>         | For part of taxon as described in text |
| 309 | <i>Desmodium heterocarpon</i>                | <i>Desmodium heterocarpon</i> var. <i>strigosum</i> Meeuwen             | For part of taxon as described in text |
| 314 | <i>Vicia sativa</i> var. <i>angustifolia</i> | <i>Vicia sativa</i> L. subsp. <i>sativa</i>                             | For part of taxon as described in text |
| 314 | <i>Vicia sativa</i> var. <i>angustifolia</i> | <i>Vicia sativa</i> subsp. <i>nigra</i> (L.) Ehrh.                      | For part of taxon as described in text |
| 314 | <i>Vicia monantha</i>                        | <i>Vicia monantha</i> Retz. subsp. <i>monantha</i>                      | For part of taxon as described in text |
| 314 | <i>Vicia monantha</i>                        | <i>Vicia monantha</i> subsp. <i>triflora</i> (Ten.) B.L.Burt & P.Lewis  | For part of taxon as described in text |
| 316 | <i>Centrosema pubescens</i>                  | <i>Centrosema molle</i> Mart. ex Benth.                                 |  |
| 316 | <i>Abrus precatorius</i>                     | <i>Abrus precatorius</i> L. subsp. <i>precatorius</i>                   | This is the only subspecies in Qld     |
| 324 | <i>Vigna lanceolata</i>                      | <i>Vigna lanceolata</i> Benth. var. <i>lanceolata</i>                   | This is the only variety in S.E. Qld   |
| 326 | <i>Atylosia reticulata</i>                   | <i>Cajanus reticulatus</i> (Dryand.) F.Muell. var. <i>reticulatus</i>   | This is the only variety in Qld        |
| 329 | <i>Pongamia pinnata</i>                      | <i>Millettia pinnata</i> (L.) Panigrahi                                 |  |
| 329 | <i>Kunstleria blackii</i>                    | <i>Austrosteenisia blackii</i> (F.Muell.) R.Geesink var. <i>blackii</i> | This is the only variety in S.E. Qld   |
| 330 | <i>Sophora tomentosa</i>                     | <i>Sophora tomentosa</i> subsp. <i>australis</i> Yakovlev               | This is the only subspecies in Qld     |
| 333 | <i>Neptunia gracilis</i>                     | <i>Neptunia gracilis</i> Benth. forma <i>gracilis</i>                   | This is the only form in S.E. Qld      |
| 334 | <i>Prosopis glandulosa</i>                   | <i>Prosopis glandulosa</i> Torr. var. <i>glandulosa</i>                 | This is the only variety in S.E. Qld   |
| 334 | <i>Mimosa pudica</i>                         | <i>Mimosa pudica</i> var. <i>hispida</i> Brenan                         | For part of taxon as described in text |

|     |   |   |   |
|-----|---|---|---|
| 334 | <i>Mimosa pudica</i>                              | <i>Mimosa pudica</i> var. <i>tetrandra</i> (Humb. & Bonpl. ex Willd.) DC. | For part of taxon as described in text  |
| 347 | <i>Acacia baueri</i>                              | <i>Acacia baueri</i> Benth. subsp. <i>baueri</i>                          | This is the only subspecies in Qld      |
| 354 | <i>Acacia longispicata</i> subsp. <i>velutina</i> | <i>Acacia longispicata</i> Benth.   | Subspecies not now recognised           |
| 355 | <i>Acacia aulacocarpa</i> var. <i>aulacocarpa</i> | <i>Acacia aulacocarpa</i> A.Cunn. ex Benth.                               | For part of taxon as described in text  |
| 355 | <i>Acacia aulacocarpa</i> var. <i>aulacocarpa</i> | <i>Acacia disparrima</i> M.W.McDonald & Maslin subsp. <i>disparrima</i>   | For part of taxon as described in text  |
| 355 | <i>Acacia aulacocarpa</i> var. <i>fruticosa</i>   | <i>Acacia aulacocarpa</i> A.Cunn. ex Benth.                               | Varieties not now recognised            |
| 359 | <i>Acacia excelsa</i>                             | <i>Acacia excelsa</i> Benth. subsp. <i>excelsa</i>                        | For part of taxon as described in text  |
| 359 | <i>Acacia excelsa</i>                             | <i>Acacia excelsa</i> subsp. <i>angusta</i> Pedley                        | For part of taxon as described in text  |
| 362 | <i>Acacia ulicifolia</i> var. <i>brownei</i>      | <i>Acacia ulicifolia</i> (Salisb.) Court                                  | Varieties not now recognised            |
| 362 | <i>Acacia ulicifolia</i> var. <i>ulicifolia</i>   | <i>Acacia ulicifolia</i> (Salisb.) Court                                  | Varieties not now recognised            |
| 365 | <i>Acacia uncinata</i>                            | <i>Acacia sertiformis</i> A.Cunn.   | Text name misapplied in Qld             |
| 367 | <i>Acacia juncifolia</i>                          | <i>Acacia juncifolia</i> Benth. subsp. <i>juncifolia</i>                  | This is the only subspecies in Qld      |
| 369 | <i>Acacia bancroftii</i>                          | <i>Acacia bancroftiorum</i> Maiden  | Spelling correction                     |
| 369 | <i>Acacia victoriae</i>                           | <i>Acacia victoriae</i> Benth. subsp. <i>victoriae</i>                    | This is the only subspecies in S.E. Qld |
| 380 | <i>Acacia muellerana</i>                          | <i>Acacia muelleriana</i> Maiden & R.T.Baker                              | Spelling correction                     |
| 381 | <i>Acacia irrorata</i>                            | <i>Acacia irrorata</i> Sieber ex Spreng. subsp. <i>irrorata</i>           | This is the only subspecies in Qld      |



|     |   |  |                                      |
|-----|---|--|--------------------------------------|
| 384 | <i>Albizia thozetiana</i>                     | <i>Archidendropsis thozetiana</i> (F.Muell.)<br>I.C.Nielsen                    |                                      |
| 385 | <i>Pithecellobium lovelliae</i>               | <i>Archidendron lovelliae</i> (F.M.Bailey) I.C.Nielsen                         |                                      |
| 385 | <i>Pithecellobium grandiflorum</i>            | <i>Archidendron grandiflorum</i> (Sol. ex Benth.)<br>I.C.Nielsen               |                                      |
| 385 | <i>Pithecellobium hendersonii</i>             | <i>Archidendron hendersonii</i> (F.Muell.) I.C.Nielsen                         |                                      |
| 385 | <i>Pithecellobium pruinatum</i>               | <i>Pararchidendron pruinatum</i> (Benth.) I.C.Nielsen<br>var. <i>pruinatum</i> | This is the only variety in Qld      |
| 389 | <i>Cassia brewsteri</i>                       | <i>Cassia brewsteri</i> (F.Muell.) F.Muell. ex Benth.<br>var. <i>brewsteri</i> |                                      |
| 389 | <i>Cassia marksiana</i>                       | <i>Cassia brewsteri</i> var. <i>marksiana</i> F.M.Bailey                       |                                      |
| 389 | <i>Cassia tomentella</i>                      | <i>Cassia brewsteri</i> var. <i>tomentella</i> Benth.                          |                                      |
| 390 | <i>Cassia barclayana</i>                      | <i>Senna barclayana</i> (Sweet) Randell  |                                      |
| 390 | <i>Cassia didymobotrya</i>                    | <i>Senna didymobotrya</i> (Fresen.) H.S.Irwin &<br>Barneby                     |                                      |
| 390 | <i>Cassia pleurocarpa</i>                     | <i>Senna pleurocarpa</i> (F.Muell.) Randell var.<br><i>pleurocarpa</i>         | This is the only variety in S.E. Qld |
| 390 | <i>Cassia occidentalis</i>                    | <i>Senna occidentalis</i> (L.) Link  |                                      |
| 391 | <i>Cassia coluteoides</i>                     | <i>Senna pendula</i> var. <i>glabrata</i> (Vogel) H.S.Irwin &<br>Barneby       |                                      |
| 391 | <i>Cassia circinnata</i>                      | <i>Senna circinnata</i> (Benth.) Randell                                       |                                      |
| 391 | <i>Cassia floribunda</i>                      | <i>Senna septemtrionalis</i> (Viv.) H.S.Irwin &<br>Barneby                     |                                      |
| 391 | <i>Cassia nemophila</i> var. <i>nemophila</i> | <i>Senna artemisioides</i> subsp. <i>coriacea</i> (Benth.)<br>Randell          |                                      |

|     |  |  |  |
|-----|--|--|--|
| 391 | <i>Cassia nemophila</i> var. <i>zygophylla</i>   | <i>Senna artemisioides</i> subsp. <i>zygophylla</i> (Benth.) Randell |  |
| 392 | <i>Cassia artemisioides</i>                      | <i>Senna artemisioides</i> (DC.) Randell subsp. <i>artemisioides</i> | For part of taxon as described in text |
| 392 | <i>Cassia artemisioides</i>                      | <i>Senna artemisioides</i> subsp. <i>filifolia</i> Randell           | For part of taxon as described in text |
| 392 | <i>Cassia surattensis</i>                        | <i>Senna surattensis</i> (Burm.f.) H.S.Irwin & Barneby               |  |
| 392 | <i>Cassia coronilloides</i>                      | <i>Senna coronilloides</i> (Benth.) Randell                          |  |
| 392 | <i>Cassia aciphylla</i>                          | <i>Senna aciphylla</i> (Benth.) Randell                              |  |
| 393 | <i>Cassia retusa</i>                             | <i>Senna gaudichaudii</i> (Hook. & Arn.) H.S.Irwin & Barneby         |  |
| 393 | <i>Cassia pumila</i>                             | <i>Chamaecrista concinna</i> (Benth.) Pedley                         |  |
| 393 | <i>Cassia absus</i>                              | <i>Chamaecrista absus</i> (L.) H.S.Irwin & Barneby var. <i>absus</i> | This is the only variety in Qld        |
| 393 | <i>Cassia mimosoides</i>                         | <i>Chamaecrista mimosoides</i> (L.) Greene                           |  |
| 398 | <i>Oxalis corniculata</i> var. <i>preissiana</i> | <i>Oxalis corniculata</i> L. var. <i>corniculata</i>                 |  |
| 398 | <i>Oxalis corymbosa</i>                          | <i>Oxalis debilis</i> var. <i>corymbosa</i> (DC.) Lourteig           |  |
| 399 | <i>Pelargonium australe</i>                      | <i>Pelargonium australe</i> Willd. subsp. <i>australe</i>            | This is the only subspecies in Qld     |
| 400 | <i>Geranium molle</i>                            | <i>Geranium molle</i> L. subsp. <i>molle</i>                         | This is the only subspecies in Qld     |
| 401 | <i>Geranium solanderi</i> var. <i>grande</i>     | <i>Geranium solanderi</i> Carolin var. <i>solanderi</i>              | This is the only variety in Qld        |
| 406 | <i>Erythroxylum australe</i>                     | <i>Erythroxylum</i> sp. (Splityard Creek L.Pedley 5360)              | Text name misapplied in S.E. Qld       |

|     |   |   |                              |
|-----|---|---|------------------------------|
| 411 | <i>Euphorbia dentata</i>                        | <i>Euphorbia davidii</i> Subils                                       |                              |
| 411 | <i>Euphorbia lathyris</i>                       | <i>Euphorbia lathyrus</i> L.  | Spelling correction          |
| 412 | <i>Euphorbia thymifolia</i>                     | <i>Chamaesyce maculata</i> (L.) Small                                 |                              |
| 412 | <i>Euphorbia prostrata</i>                      | <i>Chamaesyce prostrata</i> (Aiton) Small                             |                              |
| 412 | <i>Euphorbia atoto</i>                          | <i>Chamaesyce atoto</i> (G.Forst.) Croizat                            |                              |
| 412 | <i>Euphorbia dallachyana</i>                    | <i>Chamaesyce dallachyana</i> (Baill.) D.C.Hassall                    |                              |
| 412 | <i>Euphorbia drummondii</i>                     | <i>Chamaesyce drummondii</i> (Boiss.) D.C.Hassall                     |                              |
| 413 | <i>Euphorbia hyssopifolia</i>                   | <i>Chamaesyce hyssopifolia</i> (L.) Small                             |                              |
| 413 | <i>Euphorbia vachellii</i>                      | <i>Chamaesyce vachellii</i> (Hook. & Arn.) Hara                       |                              |
| 413 | <i>Euphorbia hirta</i>                          | <i>Chamaesyce hirta</i> (L.) Millsp.                                  |                              |
| 413 | <i>Euphorbia sparmannii</i>                     | <i>Chamaesyce psammogeton</i> (P.S.Green)<br>P.I.Forst. & R.J.F.Hend. |                              |
| 415 | <i>Euphorbia macgillivrayi</i>                  | <i>Chamaesyce macgillivrayi</i> (Boiss.) D.C.Hassall                  |                              |
| 417 | <i>Bertya oleifolia</i> var. <i>oleifolia</i>   | <i>Bertya oleifolia</i> Planch.                                       | Varieties not now recognised |
| 417 | <i>Bertya oleifolia</i> var. <i>glabrescens</i> | <i>Bertya pedicellata</i> F.Muell.                                    |                              |
| 419 | <i>Adriana glabrata</i> var. <i>glabrata</i>    | <i>Adriana tomentosa</i> Gaudich. var. <i>tomentosa</i>               |                              |
| 419 | <i>Adriana glabrata</i> var. <i>subglabra</i>   | <i>Adriana tomentosa</i> Gaudich. var. <i>tomentosa</i>               |                              |

|     |  |   |                                 |
|-----|--|---|---------------------------------|
| 420 | <i>Baloghia lucida</i>                                 | <i>Baloghia inophylla</i> (G.Forst.) P.S.Green                                |                                 |
| 422 | <i>Sapium sebiferum</i>                                | <i>Triadica sebifera</i> (L.) Small   |                                 |
| 423 | <i>Drypetes australasica</i>                           | <i>Drypetes deplanchei</i> (Brongn. & Gris) Merr.                             |                                 |
| 423 | <i>Omalanthus stillingiifolius</i>                     | <i>Homalanthus stillingiifolius</i> F.Muell.                                  |                                 |
| 423 | <i>Omalanthus populifolius</i>                         | <i>Homalanthus nutans</i> (G.Forst.) Guill.                                   |                                 |
| 423 | <i>Fontainea</i> sp.1                                  | <i>Fontainea venosa</i> Jessup & Guymer                                       |                                 |
| 428 | <i>Phyllanthus thymoides</i>                           | <i>Phyllanthus triandrus</i> Muell.Arg.                                       |                                 |
| 428 | <i>Phyllanthus thesioides</i>                          | <i>Sauropus hirtellus</i> (F.Muell.) Airy Shaw                                |                                 |
| 429 | <i>Phyllanthus gasstroemii</i>                         | <i>Phyllanthus gunnii</i> Hook.f.   |                                 |
| 429 | <i>Phyllanthus albiflorus</i>                          | <i>Sauropus albiflorus</i> (F.Muell. ex Muell.Arg.) Airy Shaw                 |                                 |
| 429 | <i>Phyllanthus</i> sp.1                                | <i>Phyllanthus microcladus</i> Muell.Arg.                                     |                                 |
| 431 | <i>Amperea xiphoclada</i>                              | <i>Amperea xiphoclada</i> (Sieber ex Spreng.) Druce<br>var. <i>xiphoclada</i> | This is the only variety in Qld |
| 432 | <i>Monotaxis linifolia</i>                             | <i>Monotaxis macrophylla</i> Benth.   |                                 |
| 433 | <i>Ricinocarpos</i> sp.1                               | <i>Ricinocarpos</i> sp. (Blackdown Tableland<br>R.J.Henderson H610)           |                                 |
| 433 | <i>Ricinocarpos bowmanii</i>                           | <i>Ricinocarpos</i> sp. (Westmar T.J.McDonald 263)                            |                                 |
| 436 | <i>Glochidion perakense</i> var, <i>supra-axillare</i> | <i>Glochidion sumatranum</i> Miq.   |                                 |

|     |                         |  |  |
|-----|-------------------------|--|--|
| 442 | Zieria sp.1             | Zieria sp. (Monogorilby P.I.Forster PIF1004)                         |  |
| 443 | Zieria compacta         | Zieria fraseri Hook.   |  |
| 444 | Euodia vitiflora        | Melicope vitiflora (F.Muell.) T.G.Hartley                            |  |
| 444 | Euodia elleryana        | Melicope elleryana (F.Muell.) T.G.Hartley                            |  |
| 445 | Euodia sp.1             | Melicope hayesii T.G.Hartley   |  |
| 445 | Euodia micrococca       | Melicope micrococca (F.Muell.) T.G.Hartley                           |  |
| 446 | Bosistoa selwynii       | Bosistoa transversa J.F.Bailey & C.T.White                           |  |
| 446 | Bosistoa monostylis     | Bosistoa medicinalis (F.Muell.) T.G.Hartley                          |  |
| 446 | Bosistoa pentacocca     | Bosistoa pentacocca (F.Muell.) Baill. var. pentacocca                | For part of taxon as described in text |
| 446 | Bosistoa pentacocca     | Bosistoa pentacocca var. connaricarpa (Domin) T.G.Hartley            | For part of taxon as described in text |
| 447 | Correa glabra           | Correa glabra Lindl. var. glabra                                     | This is the only variety in Qld        |
| 447 | Correa reflexa          | Correa reflexa (Labill.) Vent. var. reflexa                          | This is the only variety in Qld        |
| 453 | Melicope melanophloia   | Dinosperma melanophloia (C.T.White) T.G.Hartley                      |  |
| 453 | Melicope octandra       | Acronychia octandra (F.Muell.) T.G.Hartley                           |  |
| 454 | Melicope erythrococca   | Dinosperma erythroccum (F.Muell.) T.G.Hartley                        |  |
| 454 | Bauerella simplicifolia | Sarcomelicope simplicifolia (Endl.) T.G.Hartley subsp. simplicifolia | This is the only variety in Qld        |

|     |  |  |                                    |
|-----|--|--|------------------------------------|
| 457 | <i>Acronychia bauerlenii</i>                             | <i>Acronychia baeuerlenii</i> T.G.Hartley                                |                                    |
| 458 | <i>Geijera salicifolia</i> var. <i>latifolia</i>         | <i>Geijera salicifolia</i> Schott  | Varieties not now recognised       |
| 458 | <i>Geijera salicifolia</i> var. <i>salicifolia</i>       | <i>Geijera salicifolia</i> Schott  | Varieties not now recognised       |
| 459 | <i>Geijera helmsiae</i>                                  | <i>Geijera paniculata</i> (F.Muell.) Druce                               |                                    |
| 459 | <i>Eremocitrus glauca</i>                                | <i>Citrus glauca</i> (Lindl.) Burkill                                    |                                    |
| 459 | <i>Microcitrus australasica</i>                          | <i>Citrus australasica</i> F.Muell.                                      |                                    |
| 459 | <i>Microcitrus australasica</i> var. <i>australasica</i> | <i>Citrus australasica</i> F.Muell.                                      | Varieties not now recognised       |
| 459 | <i>Microcitrus australasica</i> var. <i>sanguinea</i>    | <i>Citrus australasica</i> F.Muell.                                      | Varieties not now recognised       |
| 460 | <i>Microcitrus australis</i>                             | <i>Citrus australis</i> (A.Cunn. ex Mudie) Planch.                       |                                    |
| 461 | <i>Philotheca salsolifolia</i>                           | <i>Philotheca salsolifolia</i> (Sm.) Druce subsp. <i>salsolifolia</i>    | This is the only subspecies in Qld |
| 463 | <i>Phebalium ambiens</i>                                 | <i>Leionema ambiens</i> (F.Muell.) Paul G.Wilson                         |                                    |
| 463 | <i>Phebalium squameum</i>                                | <i>Nematolepis squamea</i> (Labill.) Paul G.Wilson subsp. <i>squamea</i> | This is the only subspecies in Qld |
| 463 | <i>Phebalium obtusifolium</i>                            | <i>Leionema obtusifolium</i> (Paul G.Wilson) Paul G.Wilson               |                                    |
| 464 | <i>Phebalium rotundifolium</i>                           | <i>Leionema rotundifolium</i> (A.Cunn. ex Endl.) Paul G.Wilson           |                                    |
| 464 | <i>Phebalium gracile</i>                                 | <i>Leionema gracile</i> (C.T.White) Paul G.Wilson                        |                                    |
| 464 | <i>Crowea saligna</i>                                    | <i>Crowea exalata</i> F.Muell. subsp. <i>exalata</i>                     | This is the only subspecies in Qld |

|     |  |  |   |
|-----|--|--|---|
| 464 | <i>Phebalium elatius</i> subsp. <i>beckleri</i>            | <i>Leionema elatius</i> subsp. <i>beckleri</i> (F.Muell.) Paul G.Wilson              |   |
| 465 | <i>Eriostemon difformis</i> subsp. <i>smithianus</i>       | <i>Philotheca difformis</i> subsp. <i>smithiana</i> (Benth.) Paul G.Wilson           |   |
| 465 | <i>Eriostemon difformis</i> subsp. <i>difformis</i>        | <i>Philotheca difformis</i> (A.Cunn. ex Endl.) Paul G.Wilson subsp. <i>difformis</i> |   |
| 465 | <i>Eriostemon angustifolius</i>                            | <i>Philotheca sporadica</i> (Bayly) Paul G.Wilson                                    |   |
| 466 | <i>Eriostemon myoporoides</i> subsp. <i>epilosus</i>       | <i>Philotheca myoporoides</i> subsp. <i>epilosa</i> (Paul G.Wilson) Bayly            |   |
| 467 | <i>Eriostemon myoporoides</i> subsp. <i>myoporoides</i>    | <i>Philotheca myoporoides</i> subsp. <i>obovatifolia</i> Bayly                       |   |
| 467 | <i>Eriostemon myoporoides</i> subsp. <i>leichhardtii</i>   | <i>Philotheca myoporoides</i> subsp. <i>leichhardtii</i> (Benth.) Bayly              |   |
| 467 | <i>Eriostemon myoporoides</i> subsp. <i>conduplicatus</i>  | <i>Philotheca myoporoides</i> subsp. <i>conduplicata</i> (Paul G.Wilson) Bayly       |   |
| 467 | <i>Eriostemon myoporoides</i> subsp. <i>queenslandicus</i> | <i>Philotheca myoporoides</i> subsp. <i>queenslandica</i> (C.T.White) Bayly          |   |
| 477 | <i>Turraea brownii</i>                                     | <i>Turraea pubescens</i> Hellen.   |   |
| 477 | <i>Melia azedarach</i> var. <i>australasica</i>            | <i>Melia azedarach</i> L.  | Varieties not now recognised            |
| 478 | <i>Toona australis</i>                                     | <i>Toona ciliata</i> M.Roem.   |   |
| 481 | <i>Dysoxylum fraserianum</i>                               | <i>Dysoxylum fraserianum</i> (A.Juss.) Benth.  | Spelling correction                     |
| 482 | <i>Synoum glandulosum</i>                                  | <i>Synoum glandulosum</i> (Sm.) A.Juss. subsp. <i>glandulosum</i>                    | This is the only subspecies in S.E. Qld |
| 482 | <i>Dysoxylum muelleri</i>                                  | <i>Dysoxylum mollissimum</i> subsp. <i>molle</i> (Miq.) Mabb.                        | This is the only subspecies in Qld      |
| 484 | <i>Pseudocarapa nitidula</i>                               | <i>Anthocarapa nitidula</i> (Benth.) T.D.Penn. ex Mabb.                              |   |

|     |  |  |  |
|-----|--|--|--|
| 485 | <i>Akania lucens</i>   | <i>Akania bidwillii</i> (Hogg) Mabb.                               |  |
| 491 | <i>Schinus terebinthifolia</i>                                       | <i>Schinus terebinthifolius</i> Raddi                              |  |
| 491 | <i>Schinus molle</i>   | <i>Schinus molle</i> var. <i>areira</i> (L.) DC.                   |  |
| 493 | <i>Euroschinus falcata</i> var. <i>falcata</i>                       | <i>Euroschinus falcatus</i> Hook.f. var. <i>falcatus</i>           |  |
| 493 | <i>Euroschinus falcata</i> var. <i>angustifolia</i>                  | <i>Euroschinus falcatus</i> Hook.f. var. <i>falcatus</i>           |  |
| 496 | <i>Cardiospermum halicacabum</i>                                     | <i>Cardiospermum halicacabum</i> L. var. <i>halicacabum</i>        |  |
| 498 | <i>Dodonaea truncatiales</i>   | <i>Dodonaea heteromorpha</i> J.G.West                              |  |
| 499 | <i>Dodonaea viscosa</i> var. <i>arborescens</i>                      | <i>Dodonaea viscosa</i> subsp. <i>spatulata</i> (Sm.) J.G.West     |  |
| 499 | <i>Dodonaea viscosa</i> var. <i>angustifolia</i>                     | <i>Dodonaea viscosa</i> subsp. <i>angustifolia</i> (L.f.) J.G.West |  |
| 499 | <i>Dodonaea viscosa</i> var. <i>viscosa</i> forma <i>burmanniana</i> | <i>Dodonaea viscosa</i> subsp. <i>burmanniana</i> (DC.) J.G.West   |  |
| 500 | <i>Dodonaea aspleniifolia</i>  | <i>Dodonaea viscosa</i> subsp. <i>spatulata</i> (Sm.) J.G.West     |  |
| 500 | <i>Dodonaea</i> sp.1   | <i>Dodonaea biloba</i> J.G.West                                    |  |
| 501 | <i>Dodonaea cuneata</i>  | <i>Dodonaea viscosa</i> subsp. <i>cuneata</i> (Sm.) J.G.West       |  |
| 504 | <i>Heterodendrum pubescens</i>                                       | <i>Alectryon pubescens</i> (S.T.Reynolds) S.T.Reynolds             |  |
| 504 | <i>Heterodendrum oleifohum</i> var. <i>microcalyx</i>                | <i>Alectryon oleifolius</i> subsp. <i>elongatus</i> S.T.Reynolds   |  |
| 504 | <i>Heterodendrum diversifolium</i>                                   | <i>Alectryon diversifolius</i> (F.Muell.) S.T.Reynolds             |  |



|     |  |   |  |
|-----|--|---|--|
| 509 | <i>Alectryon unilobatus</i>                        | <i>Alectryon reticulatus</i> Radlk.                                       |  |
| 511 | <i>Jagera pseudorhus</i> forma <i>pseudorhus</i>   | <i>Jagera pseudorhus</i> (A.Rich.) Radlk. var. <i>pseudorhus</i>          |  |
| 511 | <i>Jagera pseudorhus</i> forma <i>pilosiuscula</i> | <i>Jagera pseudorhus</i> (A.Rich.) Radlk. var. <i>pseudorhus</i>          |  |
| 511 | <i>Jagera pseudorhus</i>                           | <i>Jagera pseudorhus</i> (A.Rich.) Radlk. var. <i>pseudorhus</i>          |  |
| 513 | <i>Cupaniopsis flagelliformis</i>                  | <i>Cupaniopsis flagelliformis</i> var. <i>australis</i> S.T.Reynolds      |  |
| 513 | <i>Cupaniopsis foveolata</i>                       | <i>Cupaniopsis baileyana</i> Radlk.                                       |  |
| 513 | <i>Cupaniopsis serrata</i> var. <i>serrata</i>     | <i>Cupaniopsis serrata</i> (F.Muell.) Radlk.                              |  |
| 513 | <i>Cupaniopsis serrata</i> var. <i>tomentella</i>  | <i>Cupaniopsis tomentella</i> (F.Muell. ex Benth.) S.T.Reynolds           |  |
| 514 | <i>Rhysotoechia bifoliolata</i>                    | <i>Rhysotoechia bifoliolata</i> Radlk. subsp. <i>bifoliolata</i>          |  |
| 515 | <i>Diploglottis cunninghamii</i>                   | <i>Diploglottis australis</i> (G.Don) Radlk.                              |  |
| 517 | <i>Elattostachys bidwillii</i>                     | <i>Elattostachys xylocarpa</i> (A.Cunn. ex F.Muell.) Radlk.               |  |
| 518 | <i>Arytera lautererana</i>                         | <i>Mischarytera lautereriana</i> (F.M.Bailey) H.Turner                    |  |
| 520 | <i>Mischocarpus sundaicus</i>                      | <i>Mischocarpus australis</i> S.T.Reynolds                                |  |
| 522 | <i>Mischocarpus pyriformis</i>                     | <i>Mischocarpus pyriformis</i> (F.Muell.) Radlk. subsp. <i>pyriformis</i> |  |